

L Number	Hits	Search Text	DB	Time stamp
3	2	("6233601").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:52
4	2	("6460050").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:55
5	4	("4321703").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:56
9	2	("6460050").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 19:16
10	0	(709/(201,221)).ccls. and ((circulation adj list)) and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 19:23
11	0	709/221 and (client\$1! near4 (partion\$3 or divid\$3) near4 (group\$1! or subgroup\$1!)) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 19:27
12	0	("709"(221,223,224)).ccls. and (client\$1! near4 (partion\$3 or divid\$3) near4 (group\$1! or subgroup\$1!)) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 19:27
13	526	(collect\$4 with distribut\$4) and (709/203,223,224,221).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 19:29
14	15	((collect\$4 with distribut\$4) and (709/203,223,224,221).ccls.) and (@ad<20000127) and (circulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 19:29
-	374	(collect\$4 with distribut\$4) and 709/203	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 19:28
-	4	UJIGAWA-TAICHI.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 16:54
-	4	HAYASHI-KATZUMI.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 16:55
-	28	KIMURA-MASAYA.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 16:56
-	11	ODA-YASUTAKA.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 16:56

-	374	709/203 and (collect\$4 with distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 09:26
-	0	(709/203 and (collect\$4 with distribut\$4)) and (relay adj client\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 08:56
-	68	(709/203 and (collect\$4 with distribut\$4)) and (relay\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 08:56
-	48	((709/203 and (collect\$4 with distribut\$4)) and (relay\$3)) and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 08:56
-	0	709/203 and (collect\$4 with distribut\$4)with circulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 09:26
-	1	709/203 and (collect\$4 with distribut\$4)with circulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 09:27
-	2	709/203 and (collect\$4 with distribut\$4) same circulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:57
-	0	(collect\$4 with distribut\$4) same circulat\$3 same address\$2! with (plurality or number) near2 (client\$1! or recipient\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:58
-	0	(collect\$4 with distribut\$4) and circulat\$3 same address\$2! with (plurality or number) near2 (client\$1! or recipient\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:59
-	1	circulat\$3 same address\$2! with (plurality or number) near2 (client\$1! or recipient\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:49
-	1	"3890471".PN.	USPAT	2003/11/05 11:45
-	2	circulat\$3 with ((final or last) adj (client\$1! or recipient\$1! or subscriber\$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:13
-	4	(circulat\$3 adj (client\$1! or recipient\$1! or subscriber\$1!)) with order\$3 and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:16
-	6026	(circulat\$3 near3 (list or order\$3)) and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:17
-	872	(circulat\$3 adj (list or order\$3)) and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:18

-	2	((circulat\$3 adj (list or order\$3)) and @ad<20000126) and 709/203	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 12:17
-	36	(circulation adj list) and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 15:49
-	0	JP-6216934-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 12:27
-	2	JP-06216934-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 12:27
-	0	(collection with distribution same circulat\$4 and @ad<20000126) and 709/103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 15:50
-	0	(collection with distribution same circulat\$4 and @ad<20000126) and 709/203	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 15:50
-	140	collection with distribution same circulat\$4 and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 15:51
-	55	circulat\$4 adj management and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:24
-	65959	yamazaki.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:27
-	1177	yamazaki.in. and circulat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:25
-	0	yamazaki.in. and circulat\$4 adj list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:25
-	915	yamazaki.in. and circulat\$4 and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:26
-	0	709/203 and (yamazaki.in. and circulat\$4 and @ad<20000126)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:26
-	0	709/\$ and (yamazaki.in. and circulat\$4 and @ad<20000126)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:26

-	1	707/\$ and (yamazaki.in. and circulat\$4 and @ad<20000126)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:26
-	42	yamazaki-hirohiko.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:30
-	218	collection with distribution with system.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:30
-	6	(collection with distribution with system.ti.) and circulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:32
-	23	(client\$1! or recipient\$1!) adj3 (relay\$3 or communicat\$3 or transmit\$4 or transfer\$4) with ((communication or information or data) adj block\$1!) with server\$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:35
-	9	((client\$1! or recipient\$1!) adj3 (relay\$3 or communicat\$3 or transmit\$4 or transfer\$4) with ((communication or information or data) adj block\$1!) with server\$1!) and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:39
-	392	client\$1! near4 relay\$3 and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:40
-	6	(client\$1! near4 relay\$3 and @ad<20000126) and circulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:58
-	1358	(distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 16:59
-	68	709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 17:01
-	0	(709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126) and (fail\$4 with (retransmit\$4 or retransmit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 17:01
-	47	(709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126) and (fail\$4 sameh (retransmit\$4 or re-transmit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 17:02
-	0	(709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126) and (fail\$4 same (retransmit\$4 or re-transmit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 17:02
-	46	(709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126) and (fail\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 17:02

-	20254	circulation near3 system and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 14:03
-	14	next adj3 (circulation adj destination)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 14:05
-	9	(next adj3 (circulation adj destination)) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 15:35
-	17	(return\$3 or transmit\$4) adj3 (circulation or (communication\$1! adj block)) adj3 (first or origin\$5 or relay) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 15:47
-	1	(circulat or relay\$3) adj3 (communication\$1! adj block) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 15:48
-	3611	(circulat or relay\$3) with (first or origin\$3 or begin\$4) with (last or final or end) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 15:50
-	34	(circulat or relay\$3) with (first or origin\$3 or begin\$4) with (last or final or end) with address\$2 and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 15:54
-	25	(circulat\$5) with (first or origin\$3 or begin\$4) with (last or final or end) with address\$2 and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:04
-	309	(circulat\$5) with (first or origin\$3 or begin\$4) with (last or final or end) with (order or sequence) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:06
-	0	((circulat\$5) with (first or origin\$3 or begin\$4) with (last or final or end) with (order or sequence) and @ad<20000127) and 709/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:07
-	0	709/203 and (circulat\$3 near5 (order42 or sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:08
-	1471	(circulat\$3 near5 (order42 or sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:08
-	772	(circulat\$3 adj5 (order42 or sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:08
-	0	(circulat\$3 adj5 (order42 or sequence)) same (final adj client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:09

-	0	(circulat\$3 adj5 (order\$2 or sequence)) same (final adj client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:09
-	6294	(circulat\$3 adj5 (order\$2 or sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:09
-	0	(circulat\$3 adj5 (order\$2 or sequence)) same (final or last) adj (client or subscriber or user or process)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:10
-	0	(circulat\$3 adj5 (order\$2 or sequence)) same (final or last) adj3 (client or subscriber or user or process)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:11
-	0	distribut\$3 with (last or final or end) with circulation adj list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:11
-	0	distribut\$3 same(last or final or end) with circulation adj list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:12
-	1	(last or final or end) with circulation adj list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:16
-	1	(last or final or end) adj3 circulation adj3 (client or transmit\$4 or destination or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:22
-	5	(last or final or end) adj7 circulation adj6 (client or transmit\$4 or destination or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:26
-	1	(last or final or end) with (circulation adj list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:27
-	787	YOSHIDA-KEIICHI.in. or MAEDA-MITSUhide.in. or NISHIMURA-OSAMU.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:28
-	2220	(YOSHIDA-KEIICHI.in. or MAEDA-MITSUhide.in. or NISHIMURA-OSAMU.in.) snd (circution adj list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:28
-	0	(YOSHIDA-KEIICHI.in. or MAEDA-MITSUhide.in. or NISHIMURA-OSAMU.in.) and (circution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:29
-	17	(YOSHIDA-KEIICHI.in. or MAEDA-MITSUhide.in. or NISHIMURA-OSAMU.in.) and (circulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:30

-	1	(YOSHIDA-KEIICHI.in. or MAEDA-MITSUhide.in. or NISHIMURA-OSAMU.in.) and (circulation adj list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:30
-	1	(circulation adj list) and 709/203	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:46
-	0	(circulation adj list) with (client\$1! near3 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:47
-	0	(circulation adj list) with (client\$1! with address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:47
-	44	(circulation adj list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 16:47
-	36	((circulation adj list)) and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 19:22
-	0	distribution adj communication adj block and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:00
-	3027	distribution with circulation and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:00
-	1	(distribution with circulation and @ad<20001027) and 709/101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:01
-	5537976	circulat\$3 near4 list (first or origin\$3 or begin\$4 or loop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:19
-	23	circulat\$3 near4 list with (first or origin\$3 or begin\$4 or loop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:19
-	20	(circulat\$3 near4 list with (first or origin\$3 or begin\$4 or loop\$3)) and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:19
-	8	(mobile adj agent) same itinerary and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 19:13
-	7	(ring or token) same (next adj client) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 11:33

-	13	server adj4 (transmit\$4 or transfer\$4) adj3 addresses adj3 client\$1! and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 09:35
-	56	server adj4 (transmit\$4 or transfer\$4) with addresses adj3 client\$1! and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 09:54
-	28	inter adj client\$1! near3 communication and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:17
-	0	client\$1! near3 communicat\$4 near2 (each adj other) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:17
-	0	client\$1! near3 communicat\$4 near5 (each adj other) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:17
-	0	client\$1! near5 communicat\$4 near5 (each adj other) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:18
-	3	server adj transmit\$3 adj2 addresses adj3 clients and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:22
-	51	client adj3 relay\$3 adj4 server and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:59
-	2	Jun.in. and gamevil.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:37
-	163	client\$1! adj3 (mov\$3 or circulat\$3 or migrat\$3) with server and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 11:02
-	8	client\$1! adj3 (circulat\$3) with server and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 11:03
-	1	(ring or token) with circulat\$5 and (next adj client) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 12:18
-	73	(token adj ring) near4 circulat\$5 and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 12:19
-	0	(token adj ring) near4 circulat\$5 with (serial\$2 near3 order) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 12:20

-	0	(token adj ring) near4 circulat\$5 with (serial\$2) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:20
-	6	(token adj ring) near4 circulat\$5 with (sequence or order) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:33
-	1	server near3 fail\$3 near4 retransmit\$4 and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:34
-	3	server near5 fail\$3 near8 retransmit\$4 and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:35
-	143	(re-transmit\$4 or retransmit\$4) near4 client and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:37
-	95	((re-transmit\$4 or retransmit\$4) near4 client and @ad<20000127) and (circulat\$4 or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:35
-	0	(re-transmit\$4 or retransmit\$4) near4 ((fail\$3 or inoperative) adj client\$1!) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:37
-	0	(re-transmit\$4 or retransmit\$4) near4 ((fail\$3 or inoperative) adj2 client\$1!) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:37
-	3	(re-transmit\$4 or retransmit\$4) near6 ((fail\$3 or inoperative) near4 client\$1!) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 14:30
-	1	(re-transmit\$4 or retransmit\$4) with ((fail\$3 or inoperative) adj client\$1!) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 14:30
-	4	(re-transmit\$4 or retransmit\$4) with ((fail\$3 or inoperative) near3 client\$1!) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 14:39
-	9	(re-transmit\$4 or retransmit\$4) with ((fail\$3 or inoperative) with client\$1!) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 14:52
-	7	(re-transmit\$4 or retransmit\$4) with ((fail\$3 or stop) with distribution) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:53
-	0	((next adj client) with fail\$3 with notif\$5) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:53

-	0	((next adj client) same fail\$3 with notif\$5) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:54
-	14	((next adj client)and fail\$3 with notif\$5) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:13
-	13	(client\$1! near4 (partion\$3 or divid\$3) near4 (group\$1! or subgroup\$1!)) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 19:25